

# Re: Phone line interface for DTMF

---

*Source:* <http://sci.tech-archive.net/Archive/sci.electronics.design/2007-06/msg03568.html>

---

- *From:* John Mianowski <[spamfree@xxxxxxxxxxx](mailto:spamfree@xxxxxxxxxxx)>
  - *Date:* Tue, 26 Jun 2007 12:38:42 -0700
- 

On Jun 22, 2:04 pm, "jmarc" <[j...@xxxxxxxxxxxxxxxxxxxxxxxx](mailto:j...@xxxxxxxxxxxxxxxxxxxxxxxx)> wrote:

Hi all,

I would use a 600 ohms phone line transformer to have dc isolation, for transmitting DTMF from a computer.

My very simple desing work at home, but doesnt work at the office. It seams I don't deliver enough audio level of DTMF.

Earlier, I bought a very simple "play/record" device who did work (more audio DTMF level), but humming soon happen with differents configuration.... (not use transformer in)  
It is probalby caused by different ground voltage level, between computer and Telco gnd.

Is someone out there, can rely me to some pretty schematics on the web, or have any suggest to do it right?

jmarc...

What kind of phone/phone system do you have at the office? If it's a modern PBX, it probably uses digital phones that aren't compatible with POTS.

JM

.