

Re: 3.5 inch TFT high clear LCD digital screen portable DVD player

Source: <http://sci.tech-archive.net/Archive/sci.electronics.misc/2008-03/msg00000.html>

- *From:* "www.ningbo-electric.com" <alexifyf@xxxxxxxxxx>
 - *Date:* Sat, 1 Mar 2008 08:13:53 -0800 (PST)
-

On Feb 29, 2:13 pm, plsbuy....@xxxxxxxxxx wrote:

http://www.plsbuy.com/TFT_LCD_Screen_Audio-Video_Speaker_Portable-DVD...

This portable DVD player includes a rechargeable battery pack enabling 2 hours continuous play time.

It's Sleek, Simple to use and Powerful. This portable entertainment system allows you to view your favourite DVDs or CDs on the go. Compatible DIVX player, capable of playing most DVDs and CDs, including MP3, MP4, VCD, DIVX and JPEG files, DVD player enables you to view pictures and movies and listen to CDs, all with the one unit.

LCD display with superior video quality, built-in surround sound effect stereo speakers, with Dolby Digital decoding and anti shock suspension for those restless kids.

- * with a 3.5" TFT high clear LCD digital screen
- * Support SD/MMC/MS card,with USB port & DIVX function
- * Compatible DVD/DVCD/VCD/SVCD/CD/CD-R/HDCD/MP3/MP4,DIVX,JPEG etc.
- * Rechargeable battery inside
- * SUPER ELECTRO.ANTI-SHOCK
- * Built in double tracks stereo speaker
- * Zoom of picture and multi angle
- * Multi language menu
- * Full remote function
- * DC source: 9V DC power
- * with optical fiber output function can be connecting 5.1 channel
- * NTSC/PAL System type conversion
- * AV output,and resume function
- * Support multi regional disc
- *

Accessories:

- o Remote Control
- o AV Cable
- o Headphones
- o Power Adapter

Re: 3.5 inch TFT high clear LCD digital screen portable DVD player

- o Rechargeable lithium battery
- o User manual

Power Pole Connectors, Multipole Battery Connector 50 amp 2 poles Power Connectors connectors

SB 50 amp connector (gray, red, black). 50 amps maximum, for #6 gauge stranded wire. Housing and 2 contacts supplied. 1-7/8" overall length.

Available in Gray, Red, and Black. Gray will be provided if no preference is given. Each color will mate ONLY with the same color.

Also available for #10/12 AWG wire. 50 Amp Power Pole Connectors: 1 Housing+2 Contacts one color mates with the same color only. It is: 50 amp rating, 600 Volts continuous AC or DC operation. UL listed. Made in China, manufacturer of Ningbo Electric Pneumatic.

SB 175 amp. Multipole Power Connectors, Battery Connectors

We have many other available types: XB2 (LAY5) series of pushbutton switches, XB4 (IA158-4) series of pushbutton switches, XB5, IA158-5 series of pushbutton switches, IA158-4 series of pushbutton switches-XB7.

350 amp. Multipole SB Power poles Connector

SB 350, 350 amp connector (gray, red, black) 350 amps maximum, for 2/0 gauge stranded wire. Housing and 2 contacts supplied. 4-1/4" overall length. Also available for wire sizes 3/0, 4/0, and 300 MCM.

The replaceable contacts enable easy field service. It ensures greater ability of conductivity, letting the power to conduct or transmit heat, electricity successfully. 50 amp for small connections (or sub arrays of large systems) and small power and battery connections. 175 and 350 amp units for larger batteries and large arrays, inverter connections. Rated for AC and DC, up to 600 volts. The 50 amp units are often used for solar panel array and subarray connections for ease of testing, assembly, and maintenance, especially in commercial and industrial applications. 50 amp units for solar panel array and subarray connections for testing, assembly, and maintenance. The 175 and 350 amp connectors are often used in battery and/or inverter connection systems. We use these on most of our larger systems, and nearly all industrial and commercial systems. 350 amp SB connectors. yellow for usage of 12 volts, red for 24 volts, and blue for 48 volts. Contacts are soldered or crimped.

SB 350, 350 amp connector (gray, red, black) 350 amps maximum, for 2/0 gauge stranded wire. Housing and 2 contacts supplied. 4-1/4" overall length. It effectively compresses the contact barrel tightly around the cable strands so that all of them are pressed tightly against each other and the inside wall of the contact barrel, doing this requires that the stripped cable be inserted all the way into the barrel of the contact, and that the contact point is centered in the crimping tool.

Rated voltage: 600V for SB 50amp, 175 amp, 350 amp. batter connectors.

Our charging plug connector is for a variety of electric motorcar and other electrical devices to support safety and guarantee.

Fork handle of SB power pole connectors

Re: 3.5 inch TFT high clear LCD digital screen portable DVD player

Re: 3.5 inch TFT high clear LCD digital screen portable DVD player

Power Products originated the SB (Storage Battery) connector design to provide high power handling and durability. The SB 2-pole connector is available in 50, 120, 175, and 350 amp ratings per pole for use to 600 volts continuous AC or DC operation. The SB housing is molded out of rugged UL94VO rated polycarbonate and, in conjunction with APP's flat wiping contacts, offers up to 10,000 mating cycles. The hermaphroditic design of these connectors allows SB connectors to be mated to each other, which simplifies the bills of material. Contacts are available individually for a wide range of wires. Mechanical keys prevents two different voltage coded color housings from mating – eliminates possibility of mismatching power supplies and electrical outlets.

SB housings and contacts may also be purchased separately. This only shows our most popular items that are commonly used in solar electric systems.

We can order ANY connector type or parts.

There is NO Male or Female connector, any connector will mate with any other connector of the same amp rating and color. You will need one connector set for EACH end.

For more information on the care, feeding, and general use of SB and PP connectors, Pls contact us: sales@xxxxxxxxxxxxxxxxxxxx

China Ningbo Electric Pneumatic: our Storage Battery power pole connectors,multi 2-pole battery connectors are for high amperage connections,also as a high power interconnects and accessory. Usage: Railway or Mining Industries,Telecom connetor,Datacom connectors,Back-up Power, and Material Handling Industries,modular systems. SB (Storage Battery) connector design to provide high power handling and durability. SB Connectors are with several different amps: – 50 amp, 175 amp, and 350 amp. Different colors mean different usage. Currently, the red and grey colors are available.It is suitable for AC or DC up to 600 volts. other sides are

identical,hermaphroditic,neither male,nor female. It is by us-China manufacturer of battery connector,multipole power connector.

what is AWG ? Pushbutton Switches,XB2(LAY5) Power Pole Battery Connectors Watt Hour Electricity Meters MCB,MCCB,Circuit Breakers Voltage Regulator/Stabilizers Thermal,Time,General Relays

Power,Current Transformers Air Source Treatment Units Pneumatic Cylinders Pneumatic Solenoid Valves Ningbo Electric Pneumatic:

Reliability from Science & Technology Email: alexyfy@xxxxxxxxxx

MSN: pneumatic@xxxxxxxx /, realwhks@xxxxxxxxxx

Tel:+86-13505740443 Fax:+86-574-87722775

All contents © 2007 Ningbo Electric & Pneumatic Co.,Ltd. All Rights Reserved

China exporter,supplier of: XB2 LAY5 Push Button Switches, Single Phase Prepaid Electric Meters, MCB Mini Circuit Breakers Manufacturer, 175 Amp Power 2 Pole Connectors, MSQ Current Transformers, Pneumatic oil lubricators, Air Source Treatment Units, Air Pressure Regulators,Three-Point F.R.L Combinations, SDA Thin type

Re: 3.5 inch TFT high clear LCD digital screen portable DVD player

Cylinders, MAL series Aluminum Alloy Mini Cylinders, 4V, 3V Series
Solenoid Valve Manufacturer.

www.ningbo-electric.com