

Re: How to change OE so the coding is right automatically

Source: <http://sci.tech-archive.net/Archive/sci.lang.japan/2006-07/msg00467.html>

- *From:* Sean <notsean@xxxxxxx>
 - *Date:* Tue, 18 Jul 2006 01:50:41 GMT
-

On 7/14/06 11:11 AM, in article w7Rtg.22451\$IU2.16492@xxxxxxxxxxxxxxxxxxxxxxxx, "Paul Blay" <blay.paul@xxxxxxxxxxxxxxxxxxxxxxxx> wrote:

"Phil" <phil.yff@xxxxxxxxxxxx> wrote ...

Konrad Viltersten wrote:

Once, i got this hint from Paul Blay (i think it was him) where he explained how to set up OE so Japanese coding comes up by default, so ?? doesn't happen.

I have Google the net for it but i can't find it. I'm sure it is there since i read it once but, perhaps due to a stress or need (Murphys law, i guess) i just can't locate it. Help?

I had the same problem. I don't think there's any good solution. OE doesn't send out headers that allow the decoding to take place automatically by everyone.

Sure the `_default setting_` of OE doesn't 'send out' headers with charset information. It's only a few mouse clicks away from working though.

I was fed up with typing it out every time so now it has a small place on the internet

http://www.sljfaq.org/w/Usenet#Outlook_Express

Since FAQ stands for "Frequently Asked Questions," your explanation certainly belongs in the FAQ, n'est-ce pas?