

## Re: Analysing pain data with adjustment for analgesic use

**Source:** <http://sci.tech-archive.net/Archive/sci.med/2004-09/0436.html>

---

**From:** Adam ([ajacobs\\_at\\_dianthus.nospam.co.uk](mailto:ajacobs_at_dianthus.nospam.co.uk))

**Date:** 09/06/04

Date: Mon, 6 Sep 2004 10:04:28 +0100

"Pat Mehta" <[bhattacharyapat@yahoo.com](mailto:bhattacharyapat@yahoo.com)> wrote in message >

> *There following are links to several web sites that contain*  
> *Equianalgesic Dose Charts" that compare doses of different drugs*  
> *required to produce the same pain relief. Hope this helps.*

>

> <http://www.globalrph.com/narcotic.htm>

> <http://www.globalrph.com/narcoticonv.htm>

> <http://www.texascancercouncil.org/gftocp/tableIV.html>

> <http://www.texascancercouncil.org/gftocp/tableIII.html>

> <http://www-users.med.cornell.edu/~spon/picu/referenc/analges.htm>

> [www.ohsu.edu/ahec/pain/part2sect3.pdf](http://www.ohsu.edu/ahec/pain/part2sect3.pdf)

Many thanks for that, Pat, that looks very useful. I don't suppose you know of any similar charts for non-opioid analgesics as well do you? Patients in this study are likely to be taking a wide range of analgesia.

Adam